

DESCRIPTION


The **GEFCO Select #SE175-Series Hollow Stream Jet** will produce a visual effect of a vertical hollow coned column of water that can be adjusted from vertical to a mushroom shape appearance.

This effect makes an aesthetic statement in both a daytime operation or at night when used in combination with any type of underwater illumination by Georgia Fountain Company.

The Hollow Stream Jet must be fed with a non-turbulent water supply that is strained to reduce maintenance and increase the life of the jet.

The GEFCO Select #SE175-Series Hollow Stream Jet can be installed on a GEFCO #PE109-Series Slab Penetration which will provide a rigid, non-corrosive waterproofing penetration.

Add Suffix: -15 for 1-1/2" NPT or -20 for 2" NPT



TYPICAL SPECIFICATION:

* **GEFCO Select #SE175-XX** Hollow Stream Jet:


- made of cast bronze, copper and brass with SST fasteners.
- finish: machined bronze.
- adjustable +/- 15 deg. off of vertical
- (T) " N.P.T. connection (specify).

ADDITIONAL INFORMATION:

* **Straining required to be: - MAX. 0.125".**

#SE100	-15			
T	1-1/2" NPT			
OH	5.750			
OD	3.625			
SS	.125			
SH	GPM	FT.	SPRAY	
IN FEET	HEAD		DIA. IN "	
3	24	3	9	
6	30	4	10	
9	35	6	12	
12	40	6	14	
15	45	7	17	
18	53	9	20	
24	58	12	24	
30	64	16	35	

#SE100	-20			
T	2" NPT			
OH	7.250			
OD	4.500			
SS	.125			
SH	GPM	FT.	SPRAY	
IN FEET	HEAD		DIA. IN "	
2	38	4	11	
3	47	6	15	
5	59	9	22	
6	69	12	30	
8	75	14	44	
9	82	16	49	



IMPORTANT REQUIREMENT

Designers and Engineers shall be responsible for the accuracy of system flow rates and especially system head loss requirements. Stated flows and head pressure requirements for any listed spray height are required AT THE NOZZLE. Extrapolations for unlisted spray heights are at the sole responsibility of the Designers and/or Engineers.

IMPORTANT

Dimensions, Manufacturers and/or Materials subject to change without notice